


EQUIPMENT  
SPECIFICATIONS





## PREMIX TANK - HIGH DENSITY (PM500HD)

DESCRIPTION	DIMENSIONS L X W X H
<ul style="list-style-type: none"> <li>• 500 bbl (79.5 m<sup>3</sup>) 2 Compartment tank</li> <li>• 100 hp 6" (152 mm) Krebs millMax™ mixing pump (capable of pumping fluid of 40% solids content)</li> <li>• Mi-Swaco HIRIDE Hopper™</li> <li>• 14 - Adjustable mixing guns</li> <li>• 2 - Variable frequency drive high speed vortex agitators</li> <li>• 2 - Standard paddle mixers</li> </ul>	54'2" x 12 x 11'9" 61.5 m x 3.6 m x 3.6 m
	SHIPPING WEIGHT
	58,180 lb 26,390 kg

## PREMIX TANK - WITH GENSET

DESCRIPTION	
<ul style="list-style-type: none"> <li>• 500 bbl (79.5 m<sup>3</sup>) 3 Compartment tank</li> <li>• 225 Kw Generator with auxiliary power for centrifuges</li> <li>• Mission Magnum™ mixing pump</li> <li>• 35' (10.7 m), 4000W Light tower</li> </ul>	
DIMENSIONS L X W X H	SHIPPING WEIGHT
57'3" x 12'4" x 11' 17.4 m x 3.8 m x 3.4 m	56,000 lb 25,401 kg

## PREMIX TANK

DESCRIPTION	
<ul style="list-style-type: none"> <li>• 400 bbl (63.6 m<sup>3</sup>) 3 Compartment tank</li> <li>• Mission Magnum™ mixing pump</li> </ul>	
DIMENSIONS L X W X H	SHIPPING WEIGHT
42'3" x 12'6" x 10'10" 12.9 m x 3.8 m x 3.3 m	30,000 lb 13,607 kg

*All premix tanks include the following: surface & bottom mud guns, fully heated mixing room and steam traced lines.*



## Canada

Corporate Head Office  
Calgary, AB  
403.234.8103

Leduc District  
780.986.3120

Grande Prairie District  
780.567.4313

## United States

Corporate Administrative Office  
Houston, TX  
281.477.5300

BOS Training Center  
817.373.3700

Southern US District  
817.373.3700

Midland District  
682.202.5882

Oklahoma Repair Facility  
405.605.4675

Appalachian District  
724.564.5400

Rocky Mountain District  
970.256.3600

Denver Sales Office  
303.993.2798

Bakken District  
701.224.7200

Mid-Continent  
701.221-8181

**SALES & MARKETING**  
[salesandmarketing@bos-solutions.com](mailto:salesandmarketing@bos-solutions.com)

**Global Contact**  
**1.877.267.3434**  
[www.bos-solutions.com](http://www.bos-solutions.com)